

Reference: Regulation (EC) 1907/2006 453/2010	MATERIAL SAFETY DATA SHEET (MSDS) Product: NDP Surfaplus	Version 07 Date last revision: 15.05.17 SHEET 1 of 7
--	--	---

1. IDENTIFICATION OF SUBSTANCE / MIXTURE AND OF THE COMPANY:

1.1. Product identifier: NDP Surfaplus

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance: Surface and medical devices disinfectant.

Product classification / Register Number: Medical Device Type IIa. CE mark, given by ON 0476, number: MED 31348

1.3. Details of the supplier of the safety data sheet

Manufacturer: Vesimin S.L. C/Lluçà, 28 5º - 08028 Barcelona vesimin@vesimin.com

Telephone number: +34 934 095 301

Fax: +34 933 396 628

e-mail: vesimin@vesimin.com

1.4. Emergency number: +34 934 095 301 (working hours)

2. HAZARD IDENTIFICATION:

2.1. Classification of the substance or mixture

Regulation (CE) 1272/2008_CLP

FLAMMABLE LIQUID, category 2 (H225)

EYE IRRITATION, category 2 (H319)

STOT SE, category 3 (H336)

HAZARDOUS TO THE AQUATIC ENVIRONMENT – CHRONIC HAZARD. Category 3 (H412)

2.2. Label elements: according to CE Directives

Regulation (CE) 1272/2008_CLP

Hazard pictograms:



Signal Word: danger

Hazard statements:

- Highly flammable liquid and vapour (H225)
- Causes serious eye irritation (H319)
- May cause drowsiness or dizziness (H336)
- Harmful to aquatic life with long lasting effects (H412)

Precautionary statements:

- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking (P210)
 - Wash the skin thoroughly after handling (P264)
 - Wear protective gloves/eye protection (P280)
 - Avoid release to the environment (P273)
 - IF ON SKIN: Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower (P303+P361+P353)
 - If eye irritation persists: Get medical advice/attention (P337+P313)
 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
-

Reference: Regulation (EC) 1907/2006 453/2010	MATERIAL SAFETY DATA SHEET (MSDS) Product: NDP Surfaplus	Version 07 Date last revision: 15.05.17 SHEET 2 of 7
--	--	---

present and easy to do. Continue rinsing (P305+P351+P338)

- Store in a well-ventilated place. Keep cool (P403 + P235)
- Store in a well-ventilated place. Keep container tightly closed (P403 + P233)
- Dispose of contents/container in accordance with local regulations (P501)

2.3. Other hazards

Flammable (Isopropyl alcohol)

No significant environmental or health risks if used under standard conditions of commercial and industrial use. We recommend the use of gloves and protection glasses.

PBT: This product is not identified as PBT/vPvB

3. COMPONENT COMPOSITION / INFORMATION

3.2. Substance/Mixture: Mixture

Dangerous components:

Ingredient	CAS num.	Classification 1272/2008	Concentration
Didecyl dimethyl ammonium chloride 70%	7173-51-5	Flamm. liq Cat.3: H226, Oral acute tox.Cat. 4:H302 Skin corr. Cat. 1B: H314 Chronic aquatic Cat 1.:H410	0.46%
2-Phenoxyethanol	122-99-6	Oral acute tox. . Cat. 4:H302 Eye irrit. Cat. 2:H319	0.10%
Cinnamaldehyde	104-55-2	Skin acute tox. Cat.4:H312 Skin irrit. Cat 2. H315 Skin sens.Cat.1: H317	0.02%
Isopropyl alcohol	67-63-0	Flam liq Cat.2: H225 Eye irrit. Cat. 2:H319 STOT SE. Cat.3: H336	30.0%
Excipients and water	-	-	qsf 100 %

Complete text of H phrases indicated in this Section are explained in Section 16.

4. FIRST AID MEASURES:

4.1. Description of first aid measures

First aid measures:

Swallowing: (*) Rinse mouth with water and require immediately medical assistance. Only if the patient is conscious, give him water to drink.

Inhalation: Not applicable

Skin contact: Wash with plenty of water & soap. If irritation persists, seek for medical advice.

Eye contact: Wash with plenty of water for at least 15 minutes. If irritation persists, consult an ophthalmologist.

(*) Information for the doctor: do not induce vomiting. Make a stomach-pumping previous addition of dimeticone (antifoam).

4.2. Most important symptoms and effects, both acute and delayed

Reference: Regulation (EC) 1907/2006 453/2010	MATERIAL SAFETY DATA SHEET (MSDS) Product: NDP Surfaplus	Version 07 Date last revision: 15.05.17 SHEET 3 of 7
--	--	---

Effects and symptoms: No specific effects and/or symptoms are known. Dangers derived from ethanol: headache, vertigo, sickness, narcosis, drowsiness. Ingestion can cause inebriation, coma. Skin, eyes and respiratory tract irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Therapeutic advice: In case of ingestion, consider making an endoscopy. Symptomatic treatment. See section 4.1.

5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media: Foam, dry chemical powder, CO₂, sand and water spray fog.

Extinguishing media that do not have to be used for safety reasons: Not applicable.

5.2. Special hazards arising from the substance or mixture

Special exposure hazards arising from the substance or preparation itself, combustion products and produced gases: Flammable product, contains ethyl alcohol. In case of fire of great magnitude, amine vapours could be generated.

5.3. Special hazards arising from the substance or mixture

Special protective equipment for fire-fighters: Fire-fighters must be provided with adequate protective equipment.

6. ACCIDENTAL RELEASE MEASURES:

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Take common precautions. Avoid the contact with skin and eyes. Ventilate the contaminated zone. Do not inhale vapours. Extinguish the flames. Eliminate ignition sources. Do not smoke. Avoid sparks. Evacuate non necessary personnel.

6.2. Environmental precautions

Avoid pouring the product into the public drainage. If the product reaches a river course or a sewer, or it has contaminated the soil or vegetation, warn the Authorities. Collect it in plastic containers and eliminate it in appropriate places.

6.3. Methods and material for containment and cleaning up

Cleaning measures: Do not release product into drainpipes or in the environment. Eliminate the spilled product with materials that act as absorbents (sawdust, peat, or chemical chelating agents). Place the collected product in containers that can be closed. Clean floor and all objects with this material using a damp cloth. Collect the cleaning materials and put them inside containers that can be closed.

6.4. Reference to other sections

Refer to sections 8 and 13 of SDS.

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Reference: Regulation (EC) 1907/2006 453/2010	MATERIAL SAFETY DATA SHEET (MSDS) Product: NDP Surfaplus	Version 07 Date last revision: 15.05.17 SHEET 4 of 7
--	--	---

Handling: Take measures to avoid splashing in the eyes and on skin.

7.2. Conditions for safe storage, including any incompatibilities

Storage: Store in high density polyethylene containers. Store at room temperature and avoid extreme temperatures and direct contact with sunlight. Store at an optimal temperature between 10° and 30°C. Store only in the original containers.

7.3. Specific end use(s)

Surface disinfectant. For professional use only.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Threshold Limit Value (TLV) of Isopropyl alcohol: The ACGIH recommends a TWA of 400 ppm (980 mg/m³) and a STEL of 500 ppm (1225 mg/m³).

8.2. Exposure controls

Hygienic measures: Do not eat, drink or smoke during use.

Exposure control: Avoid spilling, contact with eyes and ingestion.

Equipment to provide adequate personal protection: Hands protection (safety gloves) and eye protection (safety goggles).

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Aspect: Transparent liquid slightly yellow

Odour: characteristic (alcohol)

pH (100% in water): 4.5 – 6.5 (20 °C)

Solubility in water: 100% soluble (20 °C)

Density: 0.90 – 1.01 g/cc (20 °C)

Flammability: Flammable

Closed flash point: 24°C

9.2. Other information

Data for Isopropyl Alcohol

Flash Point: 12 °C

Relative density of vapour: > 1.0

10. STABILITY AND REACTIVITY

10.1. Reactivity

It does not present dangerous reactions. It does not react with acids, bases, oxydating agents, organic peroxides, molecules with sulfhydryc groups or heavy metals. Unstable in presence of strong oxidizers or strong alkalines. Non corrosive on different materials.

10.2. Chemical stability

Product is stable in recommended conditions of handling and storage.

10.3 Possibility of hazardous reactions

It does not present.

Reference: Regulation (EC) 1907/2006 453/2010	MATERIAL SAFETY DATA SHEET (MSDS) Product: NDP Surfaplus	Version 07 Date last revision: 15.05.17 SHEET 5 of 7
--	--	---

10.4. Conditions to avoid

Non applicable

10.5. Incompatible materials

Do not use or mix with products containing or that release chlorine (hypochlorites) and products that contain anionic surfactants.

10.6. Hazardous decomposition products

Non applicable.

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity:

Oral route: DL₅₀ (oral route in rodents) > 2000 mg/kg Not harmful by oral ingestion.

Inhalation route: Non toxic by inhalation

Through skin and/or eyes: DL50 (dermal route) > 2000 mg/kg

*Skin irritation: It is not irritating.

*Eye irritation: Irritating to the eyes.

*Skin sensitisation: It does not cause hypersensitisation.

Carcinogenicity: Not carcinogenic

Mutagenicity: Not mutagenic

Toxicity for reproduction: Not toxic for reproduction

12. ECOLOGICAL INFORMATION

12.1. Toxicity: Chronic aquatic toxicity:

The product is harmful to aquatic life with long lasting effects

In order to avoid human and environmental risks, follow the instructions for use.

12.2. Persistence and degradability

The product has powerful bactericide, virucide and fungicide action; hence it could affect the EDAR microbial flora.

It contains surfactant and therefore can cause foam in EDAR.

12.3. Bioaccumulative potential

Not available.

12.4. Mobility in soil

Not available

12.5. Results of PBT and vPvB assessment

This product is not identified as a PBT/vPvB substance

12.6. Other adverse effects

Harmful to aquatic organisms

Summary of ecological information:

Isopropyl alcohol

- *Mobility*:

- The product is soluble in water and it will probably remain in water.

Reference: Regulation (EC) 1907/2006 453/2010	MATERIAL SAFETY DATA SHEET (MSDS) Product: NDP Surfaplus	Version 07 Date last revision: 15.05.17 SHEET 6 of 7
--	--	---

- *Persistence and degradability:*
 - Easily biodegradable, according to OECD standards.
 - Easily eliminated in a sewage treatment.
- *Bioaccumulation:*
 - A low acute toxicity is predicted for aquatic organisms.
 - No long-term effects are predicted for aquatic organisms.

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Package product surplus or waste resulting from normal use. Label it for identification purposes and seal it. Dirty, empty recipients should be handled in the same manner. The product may be taken to a controlled incineration site, always according to local regulations.

14. TRANSPORT INFORMATION

14.1. UN number

1993

14.2. UN proper shipping name

Flammable liquid, n.e.p. (contains isopropanol)

14.3. Transport hazard class(es)

Class 3

14.4. Packaging group

Group III

14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

Not applicable

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

ADR Classification:

- ONU number: 1993
- Class: 3
- Classification code: F1
- Packaging group: III
- Label: 3 (Flammable)
- Risk:30

IMDG Classification:

- Class: 3

Air (IATA/ICAO):

ONU 1993 – Flammable liquid n.e.p.

Label: Flammable liquid

Class 3

Special provisions A3

Packaging group III

Passenger aircraft: Packaging instructions 355/Y344

Reference: Regulation (EC) 1907/2006 453/2010	MATERIAL SAFETY DATA SHEET (MSDS) Product: NDP Surfaplus	Version 07 Date last revision: 15.05.17 SHEET 7 of 7
--	--	---

Max. net quantity 60L/10L
Cargo aircraft: Packaging instructions 366
Maximum net quantity: 220 L

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The information for safety and health with respect to the label of this product is in accordance with the European Union regulation: n° 1907/2006, 453/2010 and 830/2015.

European legislation: Regulation EC 1272/2008.

15.2. Chemical safety assessment: not required

16. OTHER INFORMATION

Other information: The text in the SDS which has changed since the last version.

Complete text of hazard statements as referred to in sections 2 and 3:

- H225: Highly flammable liquid and vapour.
- H226: Flammable liquid and vapour.
- H302: Harmful if swallowed
- H312: Harmful in contact with skin.
- H314: Causes severe skin burns and eye damage
- H315: Causes skin irritation
- H317: May cause an allergic skin reaction.
- H319: Causes serious eye irritation
- H336: May cause drowsiness or dizziness.
- H410: Very toxic to aquatic life with long lasting effects

Formation advice:

The product must be handled by specialized personnel, following manufacturer instructions. Changes from last version refer to format and content of EC Regulation 453/2010. Calculation method determination according to Regulation 1272/2008 has been used for the classification of the mixture.

Vesimin S.L. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

Vesimin S.L. makes no representations or warranties, either express or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly, Vesimin S.L. will not be responsible for damages resulting from use or reliance upon this information.
