

Reference: Regulation (EC) 1907/2006 878/2020	<b>MATERIAL SAFETY DATA SHEET</b> (MSDS) Product: <b>NDP Med Surfaces Plus</b>	Version 13 Date last revision: 22.11.22 SHEET 1 of 11
--	--	--

## 1. SECCIÓN 1. IDENTIFICATION OF SUBSTANCE / MIXTURE AND THE COMPANY:

**1.1 Product identifier:** NDP Med Surfaces Plus

**1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/preparation:** Disinfectant for surfaces of non invasive medical devices

**Product classification / Register Number:** Medical Device Type IIa. CE mark, given by ON 0476, number: Med 31348

**1.3. Details of the supplier of the safety data sheet**

**Manufacturer:** Vesismin S.L.U. C/Aribau 230-240, 6th floor, L-O - 08006 Barcelona  
vesismin@vesismin.com

**Telephone number:** +34 934 095 301

**Fax:** +34 933 396 628

**e-mail:** [vesismin@vesismin.com](mailto:vesismin@vesismin.com)

**1.4. Emergency telephone number:** +34 934 095 301 (working hours)

**Servicio Médico de Información Toxicológica:** +34 915 620 420 (Instituto Nacional de Toxicología)

## 2. SECCIÓN 2. HAZARDS IDENTIFICATION:

### 2.1. Classification of the substance or mixture

Regulation (CE) 1272/2008\_CLP

ORAL ACUTE TOXICITY, category 4 (H302)

SKIN CORROSION, category 1A (H314)

EYE IRRITATION, category 1 (H318)

STOT (REPEATED EXPOSURE), category 2 (H373)

HAZARDOUS TO THE AQUATIC ENVIRONMENT – CHRONIC HAZARD. Category 2 (H411)

### 2.2. Label elements: according to EC Regulation num. 1272/2008 [CLP]

Hazard pictograms



Signal Word: Danger

Hazard statements:

- Harmful if swallowed (H302)
- Causes severe skin burns and eye damage (H314)
- Causes serious eye damage (H318)
- May cause damage to organs through prolonged or repeated exposure (H373)
- Toxic to aquatic life with long lasting effects (H411)

Reference: Regulation (EC) 1907/2006 878/2020	<b>MATERIAL SAFETY DATA SHEET</b> (MSDS) Product: <b>NDP Med Surfaces Plus</b>	Version 13 Date last revision: 22.11.22 SHEET 2 of 11
--	--	--

Precautionary statements:

- Wash the skin thoroughly after handling (P264)
- Do not eat, drink or smoke when using this product (P270)
- Wear protective gloves/protective clothing/eye protection/face protection (P280)
- Avoid release to the environment. (P273)
- IF SWALLOWED: rinse mouth. Do NOT induce vomiting (P301+P330+P331)
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower (P303+P361+P353)
- Wash contaminated clothing before reuse (P363)
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)
- Immediately call a POISON CENTER/doctor/... (P310)
- Collect spillage (P391)
- Dispose of contents and/or container in accordance with dangerous residues regulations (P501)

### 2.3. Other hazards

No significant environmental or health risks if used under standard conditions of commercial and industrial use.

The concentrated product is harmful by ingestion, corrosive to the skin, irritating to the eyes and skin and may cause damage to organs through prolonged or repeated exposure. It is not dangerous at use dilutions (2%).

Effects of the product misuse: eye and skin splashes (irritation), intoxication (oral intake). We recommend the use of gloves and glasses for concentration product handling and dilutions preparation.

**PBT:** This product is not identified as PBT/vPvB

This mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal or greater than 0,1%.

## 3. SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

### 3.2. Substance/Mixture: Mixture

**Dangerous components:**

Ingredients	CAS num. / REACH no.	Classification 1272/2008	Conc%
N-Duopropenide	308074-50-2	Oral acute tox. Cat. 4:H302, Eye irrit. Cat. 2:H319, Skin irrit. Cat. 2:H315, Chronic aquatic. Cat 2:H411	22.76%

Reference: Regulation (EC) 1907/2006 878/2020	<b>MATERIAL SAFETY DATA SHEET</b> (MSDS) Product: <b>NDP Med Surfaces Plus</b>	Version 13 Date last revision: 22.11.22 SHEET 3 of 11
--	--	--

Bis-3(aminopropyl)dodecylamine	2372-82-9 / 01-2119980592-29-XXXX	Oral acute tox. Cat. 3:H301, Skin corrosion. Cat. 1A:H314, STOT SE. Cat.2:H373, Chronic aquatic. Cat. 1:H410	10%
Phenoxyethanol	122-99-6 / 01-2119488943-21-0000, 01-2119488943-21-0006	Oral acute tox. Cat. 4:H302 Eye irrit. Cat. 2:H319	5%
Excipients and water	-	-	Csp. 100

\* Complete text of Risk phrases indicated in this Section are explained in Section 16.

#### 4. SECTION 4. FIRST AID MEASURES:

##### 4.1. Description of first aid measures

###### First aid measures:

**Swallowing:** (\*) Rinse mouth with water and require immediately medical assistance. Do not administer anything to an unconscious person.

**Inhalation:** Not applicable, it doesn't release vapours.

**Skin contact:** Take off contaminated clothes. In case of skin contact, wash with plenty of water & soap, and seek for medical advice.

**Eye contact:** Wash with plenty of water for at least 15 minutes. If irritation persists, consult an ophthalmologist.

(\*) Information for the doctor: do not induce vomiting. Make a stomach-pumping previous addition of dimeticone (antifoam).

##### 4.2. Most important symptoms and effects, both acute and delayed

**Effects and symptoms:** No specific effects and/or symptoms are known

##### 4.3. Indication of any immediate medical attention and special treatment needed

See section 4.1.

#### 5. SECTION 5. FIRE-FIGHTING MEASURES

##### 5.1. Extinguishing media

**Suitable extinguishing media:** Foam, dry chemical powder, CO<sub>2</sub>, sand and water spray fog.

**Extinguishing media that do not have to be used for safety reasons:** Not applicable.

##### 5.2. Special hazards arising from the substance or mixture

**Special exposure hazards arising from the substance or preparation itself, combustion products and produced gases:** Non flammable product. In case of fire of great magnitude, amine vapours could be generated.

##### 5.3. Advice for firefighters

Reference: Regulation (EC) 1907/2006 878/2020	<b>MATERIAL SAFETY DATA SHEET</b> (MSDS) Product: <b>NDP Med Surfaces Plus</b>	Version 13 Date last revision: 22.11.22 SHEET 4 of 11
--	--	--

---

**Special protective equipment for fire-fighters:** Fire-fighters must be provided with adequate protective equipment.

---

## 6. SECTION 6. ACCIDENTAL RELEASE MEASURES:

---

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Take common precautions

### 6.2. Environmental precautions

**Environmental precautions:** Avoid pouring the product into the public drainage. If the product reaches a river course or a sewer, or it has contaminated the soil or vegetation, warn the Authorities. Collect it in plastic containers and eliminate it in appropriate places.

### 6.3. Methods and material for containment and cleaning up

**Cleaning measures:** Do not release product into drainpipes or in the environment. Eliminate the spilled product with materials that act as absorbents (sawdust, peat, or chemical chelating agents). Place the collected product in containers that can be closed. Clean the floor and all objects with this material using a damp cloth. Collect the cleaning materials and put them inside containers that can be closed.

**Additional information:** the product is surfactant, it can produce a great quantity of foam.

### 6.4. Reference to other sections

Refer to sections 8, 12 and 13 of SDS.

---

## 7. SECTION 7. HANDLING AND STORAGE

---

### 7.1. Precautions for safe handling

**Handling:** Take measures to avoid splashing in the eyes and on skin. Do not use or mix with products containing or that release chlorine (hypochlorites) and/or mercurial products, and products that contain anionic surfactants.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage:** Store in high density polyethylene containers. Store at room temperature and avoid extreme temperatures and direct contact with sunlight. Store at an optimal temperature between 10° and 30°C. Store only in original containers.

### 7.3. Specific end use(s)

Endoscopes and surgical equipment disinfectant. For professional use only.

---

## 8. SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

---

### 8.1. Control parameters

---

Reference: Regulation (EC) 1907/2006 878/2020	<b>MATERIAL SAFETY DATA SHEET</b> (MSDS) Product: <b>NDP Med Surfaces Plus</b>	Version 13 Date last revision: 22.11.22 SHEET 5 of 11
--	--	--

Non applicable. The mixture does not contain limit values for professional exposure.

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Name of the substance	Final use	Route of exposure	Potential Health Effects	Value
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	workers	Cutaneous	Long term – systemic effects	0.91mg/kg
	workers	Inhalation	Long term – systemic effects	2.35mg/m <sup>3</sup>
	Consumers	Cutaneous		0.54mg/kg
	Consumers	Inhalation	Long term – systemic effects	0.7mg/m <sup>3</sup>
	Consumers	Oral		0.2mg/kg

Name of the substance	Final use	Route of exposure	Potential Health Effects	Value
2-phenoxyethanol	workers	Cutaneous	Long term – systemic effects	34.72mg/kg
	workers	Inhalation	Long term – local systemic effects	8.07mg/m <sup>3</sup>
	Consumers	Cutaneous	Long term – systemic effects	20.83mg/kg
	Consumers	Inhalation	Long and short term – local effects	2.5mg/m <sup>3</sup>
	Consumers	Oral	Long and short term – systemic effects	17.43mg/kg

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Name of the substance	Environmental compartment	Value
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	Sweet water	0.001mg/l
	Soil	45.34mg/kg
	Marine sediment	0.85mg/kg
	Freshwater sediment	8.5mg/kg
	Residual water treatment plant	1.33mg/l
	Discontinued release/use	0mg/l
	Seawater	0mg/l

Name of the substance	Environmental compartment	Worth
2-phenoxyethanol	Sweet water	0.943mg/l
	Seawater	0.0943mg/l
	Sporadic release	3.44mg/l
	Sediment (fresh water)	7.2366mg/kg
	Sediment (sea water)	0.7237mg/kg
	Soil	1.26mg/kg
	Treatment plant	24.8mg/l

## 8.2. Exposure controls

**Hygienic measures:** Do not eat, drink or smoke during use.

**Exposure control:** Avoid spilling, contact with eyes and ingestion.

Reference: Regulation (EC) 1907/2006 878/2020	<b>MATERIAL SAFETY DATA SHEET</b> (MSDS) Product: <b>NDP Med Surfaces Plus</b>	Version 13 Date last revision: 22.11.22 SHEET 6 of 11
--	--	--

**Equipment to provide adequate personal protection:** Hands protection (safety gloves) and eye protection (safety goggles).

## 9. SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

**Aspect (physical state, color):** Liquid, in amber colour – transparent yellow

**Odour:** Perceptible

**Melting point / freezing point:** Not available

**Boiling point :** Approximately 95 °C

**Flammability:** Non-flammable

**Upper and lower explosive limit:** Not available

**Auto-ignition temperature:** Not available

**Decomposition temperature:** Not available

**pH (100% in water):** 7 – 9 (20 °C)

**Viscosity:** 70-120 cP (20 °C)

**Water solubility:** 100% soluble

**Partition coefficient n-octanol/water (Log Know):** Noy available

**Vapour pressure:** Not available

**Density:** 1,010 – 1,050 g/cc (20°C)

**Relative density:** Not available

**Relative vapour density at 20°C:** Not available

**Particle characteristics:** Not applicable

(\*\*) pH can be slightly reduced within the course of time, without reduction of germicide effect.

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

**Data for Active Substance** (N-Duopropenide 45.52%)

**Vapour pressure:**  $P_v$  (20°C) = 24.8 Pa

**Octanol-water partition coefficient:**  $\log P_{ow}$  = 1.66

## 10. SECTION 10. STABILITY AND REACTIVITY

### 10.1. Reactivity

It does not present dangerous reactions. It does not react with heavy metals, except with mercury. Unstable in presence of strong oxidizers. It is not corrosive on different materials.

### 10.2. Chemical stability

The product is stable at recommended conditions of handling and storage.

### 10.3 Possibility of hazardous reactions

It does not present.

### 10.4. Conditions to avoid

Reference: Regulation (EC) 1907/2006 878/2020	<b>MATERIAL SAFETY DATA SHEET</b> (MSDS) Product: <b>NDP Med Surfaces Plus</b>	Version 13 Date last revision: 22.11.22 SHEET 7 of 11
--	--	--

Avoid temperatures above 30°C and below 0°C

### 10.5. Incompatible materials

Do not use or mix with products containing or that release chlorine (hypochlorites) and/or mercurial products, and products that contain anionic surfactants.

### 10.6. Hazardous decomposition products

Non applicable.

## 11. SECTION 11. TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity:

Oral route: Harmful by oral ingestion. DL<sub>50</sub> (oral route in rodents): 300 – 2000 mg/kg

Inhalation route: Not applicable.

Through skin and/or eyes: DL<sub>50</sub> (dermal): > 2000 mg/kg

\*Skin irritation: The pure product can cause severe burnings on skin. At use concentrations (2%) it is not irritating.

\*Eye irritation: The pure product can cause severe eye damage. At use concentrations (2%) it does not irritate the eyes.

\*Skin sensitisation: It does not cause hypersensitisation.

#### Substance data

<b>N-Duopropenide</b>	
LD50 (rat), oral	264mg/kg
ATE CLP (oral)	500mg/kg of body weight
irritant effects	Does not irritate the skin or mucous membranes
allergenicity	not allergen
Mutagenicity	not mutagenic
genotoxicity	not genotoxic

<b>N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine</b>	
LD50 (rat, female), acute oral	243.6mg/kg
LD50 (rat, male), acute oral	280mg/kg
LD50 (rat), acute dermal	> 600mg/kg
ATE CLP (oral)	500mg/kg of body weight
Skin corrosion/irritation (rabbit)	Causes burns
Respiratory or skin sensitization	Not sensitizing
In vitro genotoxicity	Negative
carcinogenicity	not carcinogenic
Repeated dose toxicity	NOAEL: 9mg/kg (oral, rat) NOAEL: 20mg/kg (oral, dog) NOAEL: 15mg/kg (dermal, rat) NOAEL: 4mg/kg, LOAEL: 8mg/kg (oral, rat)

<b>2-phenoxyethanol</b>	
LD50 (rat), oral	300 – 2000mg/kg
LD50 (rabbit), dermal	> 5000mg/kg
LD50 (rat), oral	2740mg/kg

Reference: Regulation (EC) 1907/2006 878/2020	<b>MATERIAL SAFETY DATA SHEET</b> (MSDS) Product: <b>NDP Med Surfaces Plus</b>	Version 13 Date last revision: 22.11.22 SHEET 8 of 11
--	--	--

ATE CLP (oral)	500mg/kg of body weight
Irritation	It is not irritating to the skin. Contact with eyes causes irritation
Respiratory / skin sensitization	Not sensitizing
Germ cell mutagenicity	not mutagenic
carcinogenicity	not carcinogenic

### Specific Target Organ Toxicity (repeated exposure):

May cause damage to organs through prolonged or repeated exposure

**Carcinogenicity:** Not carcinogenic

**Mutagenicity:** Not mutagenic

**Toxicity for reproduction:** Not toxic for reproduction

### 11.2. Information on other hazards

#### 11.2.1. Properties on endocrine alteration

No additional information available.

## 12. SECTION 12. ECOLOGICAL INFORMATION

### 12.1. Toxicity: chronic aquatic toxicity:

The product is toxic to aquatic life with long lasting effects

In order to avoid human and environmental risks, follow the instructions for use.

### Substance data

<b>N-Duopropenida</b>	
CL50, 96h (-brachydanio rerio)	6,48 mg/l
CL50, 96h (Salmo gairdneri)	11,16 mg/l
CE50, 24h (Daphnia magna)	1,382 mg/l
CE50, 48h (Daphnia magna)	1,24 mg/l

<b>N-(3-aminopropil)-N-dodecilpropano-1,3-diamina</b>	
CL50, 96h (Oncorhynchus mykiss – Trucha irisada)	0,68 mg/l
CL50, 96h (Lepomis macrochirus (Pez-luna Blugill))	0,45 mg/l
CE50, 48h (Daphnia magna – Pulga de mar grande)	0,073 mg/l
NOEC, 21d (Daphnia magna)	0,024 mg/l
CE50r, 96h (Pseudokirchneriella subcapitata - alga verde)	0,054 mg/l
ErC10, 72h (Desmodesmus subspicatus – alga verde)	0,012 mg/l
NOEC, 72h (Desmodesmus suspicatus – alga verde)	0,0069 mg/l
CE50, 3h (Iodos activados)	18 mg/l
CL50, 14d (Eisenia fétida – lombrices)	> 1000 mg/kg



Reference: Regulation (EC) 1907/2006 878/2020	<b>MATERIAL SAFETY DATA SHEET</b> (MSDS) Product: <b>NDP Med Surfaces Plus</b>	Version 13 Date last revision: 22.11.22 SHEET 9 of 11
--	--	--

NOEC, 28d (microflora del suelo)	1000 mg/kg
NOEC, 21d (plantas)	1000 mg/kg
Biodegradability	Easily biodegradable

<b>2-fenoxiethanol</b>	
CL50, 96h (Pimephales promelas)	> 100 mg/l
CE50, 48h (Daphnia magna)	> 100 mg/l
CE50, 72h (Scenedesmus subspicatus)	> 100 mg/l (biomass)
CE10, 17h (Pseudomonas putida)	> 100 mg/l
NOEC, 34d (Pimephales promelas )	> 1 mg/l
NOEC, 21d (Daphnia magna)	> 1 mg/l
Biodegradability	Easily biodegradable

### 12.2. Persistence and degradability

The product has a high bactericide, virucide, fungicide and sporicide action, hence it could affect the EDAR microbial flora.

It is a surfactant and can cause foam in EDAR.

### 12.3. Bioaccumulative potential

Not available.

N-Duopropenid3: Octanol-water partition coeficient (log Kow): 1,66

2-Fenoxiethanol: Octanol-water partition coeficient (log Kow): 1,2

### 12.4. Movility in soil

Mobility data for the Active Technical Ingredient (N-Duopropenide / Quaternary ammonium iodides in 45.52 %)

- Adsorption/desorption test: Adsorption coeficient, K': 0.198 / 0.564 / 0.692.  
Adorption coeficient, as organic carbon function K'<sub>oc</sub>: 7.935 / 22.656 / 27.774. It is demonstrated the high affinity to soils, it is clear that in case of soil contamination, the ground-water contamination risk is very low.
- Octanol-water partition coeficient: log P<sub>ow</sub> = 1.66

### 12.5. Results of PBT and vPvB assessment

This product is not identified as a PBT/vPvB substance

### 12.6. Endocrine disrupting properties

No further information available. This substance does not have endocrine disrupting properties on non-target organisms, as it does not meet the criteria established in section B of Regulation (EU) No. 2017/2100.

### 12.7. Other adverse effects

Harmful to aquatic organisms

## 13. SECTION 13. DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

Package product surplus or waste resulting from normal use. Label it for identification purposes and seal it. Dirty, empty recipients should be handled in the same manner. The

Reference: Regulation (EC) 1907/2006 878/2020	<b>MATERIAL SAFETY DATA SHEET</b> (MSDS) Product: <b>NDP Med Surfaces Plus</b>	Version 13 Date last revision: 22.11.22 SHEET 10 of 11
--	--	---

product may be taken to a controlled incineration site, always according to local regulations.

The product dilutions (2%) once used can be disposed to the sewer system. Product dilutions (2%) do not suppose any risk for the Environment according the EC Regulation 1272/2008 on classification, labelling and packaging of substances and mixtures.

---

#### 14. SECTION 14. TRANSPORT INFORMATION

---

##### 14.1. UN number or ID number:

1760

##### 14.2. UN proper shipping name

Corrosive liquid n.o.s. (contains Bis-3 (aminopropyl) dodecylamine)

##### 14.3. Transport hazard class(es)

Class 8

##### 14.4. Packaging group

Packing group III

##### 14.5. Environmental hazards

Toxic to aquatic life with long lasting effects

##### 14.6. Special precautions for user

Not applicable

##### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

---

#### 15. SECTION 15. REGULATORY INFORMATION

---

##### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The information for safety and health with respect to the label of this product is in accordance with the European Union regulation: n° 1907/2006, 453/2010, 830/2015 and 878/2020.

**European legislation:** Regulation EC 1272/2008.

##### 15.2. Chemical safety assessment: not required

---

#### 16. SECTION 16. OTHER INFORMATION

---

**Other information:** The text in the SDS which has changed since the last version.

##### Complete text of hazard statements as referred to in sections 2 and 3:

H301: Toxic if swallowed

H302: Harmful if swallowed

H314: Causes severe skin burns and eye damage

H315: Causes skin irritation

---

Reference: Regulation (EC) 1907/2006 878/2020	<b>MATERIAL SAFETY DATA SHEET</b> (MSDS) Product: <b>NDP Med Surfaces Plus</b>	Version 13 Date last revision: 22.11.22 SHEET 11 of 11
--	--	---

---

H319: Causes serious eye irritation

H373: May cause damage to organs through prolonged or repeated exposure

H410: Very toxic to aquatic life with long lasting effects

H411: Toxic to aquatic life with long lasting effects

**Formation advice:**

The product must be handled by specialized personnel, following manufacturer instructions.

Changes from last version refer to format and content of EC Regulation 878/2020.

Calculation method determination according to Regulation 1272/2008 has been used for the classification of the mixture.

**Vesismin S.L.** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

**Vesismin S.L.** makes no representations or warranties, either express or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly, Vesismin S.L. will not be responsible for damages resulting from use or reliance upon this information.

---